

Amendments to the Claims: This listing of claims will replace all prior versions, and listings, of claims in the application

Listing of Claims:

1. (Currently Amended) An endoluminal device comprising:
a first member comprising a first trunk portion, a first midsection comprising a first opening, and a first leg portion;
a second member comprising a second trunk portion, a second midsection comprising a second opening, and a second leg portion;
wherein each of the first member and the second member comprises a stent having a covering inside, outside, or inside and outside of the stent, the device ~~hashaving~~ an assembled configuration in which the first member and second member are interlocked with one another in a sealing relationship with the second trunk portion coaxially contained within the first trunk portion, the second leg portion protruding through the first opening, and the second opening facing the first leg portion.
2. (Original) The endoluminal device of claim 1, wherein the second midsection further comprises a leg stump portion that protrudes into the first leg portion of the first member in the assembled configuration.
3. (Original) The endoluminal device of claim 1, wherein the first member further comprises a seal ring.
4. (Cancelled)
5. (Currently Amended) The endoluminal device of claim 4~~1~~, wherein the covering comprises a textile, a plastic, or a combination thereof.
6. (Currently Amended) The endoluminal device of claim 4~~1~~, wherein the covering comprises a knit or woven textile.
7. (Currently Amended) The endoluminal device of claim 4~~1~~, wherein the covering comprises ePTFE or urethane.
8. (Original) The endoluminal device of claim 5, wherein each of the stents of the first member and the second member comprises an outside ePTFE covering.
9. (Original) The endoluminal device of claim 8, wherein each of the stents further comprises an inside ePTFE covering.
10. (Original) The endoluminal device of claim 8, wherein each of the stents further comprises an additional covering over the outside ePTFE covering.
11. (Original) The endoluminal device of claim 10, wherein the additional covering comprises a textile covering.
12. (Original) The endoluminal device of claim 11, wherein the textile covering comprises a knit covering.

13. (Original) The endoluminal device of claim 11, wherein the textile covering is stretchable.

14. (Original) The endoluminal device of claim 11, wherein the textile covering comprises PET or polyester yarn.

15. (Original) The endoluminal device of claim 9, wherein each of the stents further comprises a knit PET or polyester yarn covering over the outside ePTFE covering.

16. (Currently Amended) The endoluminal device of claim 4~~1~~, wherein the first member further comprises an uncovered portion of the stent.

17. (Original) The endoluminal device of claim 16, wherein the device is adapted to be mounted in an aorta and the uncovered portion is adapted to be located at an intersection of a renal lumen with the aorta.

18. (Original) The endoluminal device of claim 1, wherein each of the first member and the second member has a tapered diameter.

19. (Original) The endoluminal device of claim 1, wherein each of the first leg portion and the second leg portion has a constant diameter.

20. (Original) The endoluminal device of claim 1, wherein the second trunk portion is not distally coextensive with the first trunk portion.

21. (Original) The endoluminal device of claim 20, wherein the first member comprises an uncovered portion located distally of a distal end of the second member.

22. (Currently Amended) The endoluminal device of claim 4~~1~~, wherein the first member comprises a partial inside covering and the second member comprises an outside covering, wherein the first member comprises an interlocking portion adapted to contact the outside covering of the second member, the interlocking portion having no inside covering.

23. (Original) The endoluminal device of claim 1, wherein the first opening comprises a greater open area than the second opening.

24. (Original) The endoluminal device of claim 1, wherein each of the first member and the second member has an essentially equivalent compressed profile.

25. (Currently Amended) A modular endoluminal device for deployment in a body lumen comprising a main lumen, a first branch lumen, a second branch lumen, and an internal fluid flowing in a first direction from the main lumen into the first branch lumen and the second branch lumen, the device comprising a first member for directing the fluid from the main lumen into the first branch lumen and a second member for directing the fluid from the main lumen into the second branch lumen, wherein each of the first member and the second member comprises a stent having a covering inside, outside, or inside and outside of the stent, the first member and the second member are adapted to interlock together such that the fluid flow forces the second member against the first member in a sealing relationship.

26. (Original) The device of claim 25, wherein the second member comprises at least one impingement area on which the fluid flow impinges to force the second member against the first member.

27. (Original) The endoluminal device of claim 25, wherein the first member comprises a first trunk portion, a first midsection comprising a first opening, and a first leg portion; the second modular member comprises a second trunk portion, a second midsection comprising a second opening, and a second leg portion; and the first member and second member interlock with one another in an assembled configuration in which the second trunk portion is coaxially contained within the first trunk portion, the second leg portion protrudes through the first opening, and the second opening faces the first leg portion.

28. (Original) The endoluminal device of claim 26 wherein the second midsection further comprises a leg stump portion that protrudes into the first leg portion of the first member in the assembled configuration.

29. (Currently Amended) An endoluminal device comprising:

a first member comprising a first trunk portion, a first midsection comprising a first opening, and a first leg portion; and

a second modular member comprising a second trunk portion, a second midsection comprising a second opening, and a second leg portion, wherein each of the first member and the second member comprises a stent having a covering inside, outside, or inside and outside of the stent, the first member and second member are interlocked with one another in a sealing relationship with the second trunk portion coaxially contained within the first trunk portion, the second leg portion protruding through the first opening, and the second opening facing the first leg portion.

30. (Currently Amended) A system for deployment of an endoluminal device, the system comprising:

the endoluminal device comprising a first member having a first trunk portion, a first midsection comprising a first opening, and a first leg portion; and a second member having a second trunk portion, a second midsection comprising a second opening, and a second leg portion;

a first introducer for deploying the first member into a body lumen and having a first profile; and

a second introducer, having a second profile essentially identical to the first profile, for deploying the second member into the body lumen;

wherein each of the first member and the second member comprises a stent having a covering inside, outside, or inside and outside of the stent, the device ~~hashaving~~ an assembled configuration in which the first member and second member are interlocked with one another in a sealing relationship with the second trunk portion coaxially contained within the first trunk portion, the second leg portion protruding through the first opening, and the second opening facing the first leg portion.

31. (Currently Amended) A method of deploying an endoluminal device in a deployment location in a branched lumen comprising a main lumen, a first branch lumen, and a second branch lumen, the endoluminal device comprising a first member comprising a first trunk portion, a first midsection comprising a first opening, and a first leg portion; and a second member comprising a second trunk portion, a second midsection comprising a second opening, and a second leg portion, each of the first member and the second member comprises a stent having a covering inside, outside, or inside and outside of the stent, the method comprising the steps of:

- (a) inserting a first introducer containing the first member into the branched lumen from a first proximal location;
- (b) deploying the first member with the first trunk portion in the main lumen and the first leg portion in the first branch lumen;
- (c) inserting a second introducer containing the second member into the branched lumen from a second proximal location;
- (d) deploying the second member such that the second member is interlocked with the first member in ~~an assembled configuration~~ a sealing relationship with the second trunk portion coaxially contained within the first trunk portion, the second leg portion protruding through the first opening into the second branch lumen, and the second opening facing the first leg portion.

32. (Original) The method of claim 31 wherein at least one of the first proximal location and the second proximal location is located downstream of the main lumen.

33. (Original) The method of claim 31 wherein at least one of the first proximal location and the second proximal location is located upstream of the main lumen.

34. (Original) The method of claim 31 wherein the endoluminal device further comprises a stent having a covering inside, outside, or inside and outside of the stent, and an uncovered portion of the stent, and the branched lumen further comprises at least a third branch upstream of the first branch and second branch, the method further comprising aligning the device such that the uncovered portion is located at an intersection of the third branch with the main lumen.

35. (Original) The method of claim 31 wherein the method comprises deploying the device in an aorta, wherein the first branch and the second branch each comprise iliac arteries.

36. (Original) The method of claim 34 wherein the method comprises deploying the device in an aorta, wherein the first branch and the second branch each comprise iliac arteries and the third branch comprises a renal artery.

37. (Original) The method of claim 31 wherein the second midsection further comprises a leg stump portion that protrudes into the first leg portion of the first member in the assembled configuration and a crotch connecting the leg stump portion to the second leg portion, the assembled configuration comprising a configuration wherein the second member crotch abuts the first member in a final resting position, the method further comprising deploying the second member slightly upstream of the final resting position and allowing endoluminal fluid flow to move the second member downstream into the final resting position.

38. (Original) The method of claim 31 wherein the first member comprises a partial inside covering and the second member comprises an outside covering, the first member comprising an interlocking portion having no inside covering, wherein the method further comprises deploying the second member such that the outside covering of the second member is in contact with the interlocking portion of the first member.